25

30

## CLAIMS:

5

- 1. A room temperature curable organopolysiloxane composition comprising
- (A) 100 parts by weight of an organopolysiloxane of the following general formula (1):

$$HO(SiR^{1}_{2}O)_{n}H$$
 (1)

wherein R<sup>1</sup> is a substituted or unsubstituted monovalent hydrocarbon radical of 1 to 10 carbon atoms, and n is an integer of at least 10, or an organopolysiloxane of the following general formula (2):

- wherein  $R^1$  and n are as defined above,  $R^2$  is a substituted or unsubstituted monovalent hydrocarbon radical of 1 to 6 carbon atoms, and m is independently an integer of 0 or 1, or both,
- (B) 0.1 to 30 parts by weight of a silane compound having at least two hydrolyzable radicals each attached to a silicon atom in a molecule, the remaining radicals attached to silicon atoms being selected from the group consisting of methyl, ethyl, propyl, vinyl and phenyl, or a partial hydrolyzate thereof or both, and
  - (C) 0.1 to 10 parts by weight of an organosilicon compound of the following general formula (3):

$$(R^{2}O)_{p}Si-R^{3}-NH-R^{4}-NH_{2}$$
 (3)  
 $R^{1}_{3-p}$ 

wherein  $R^1$  and  $R^2$  are as defined above,  $R^3$  is a divalent hydrocarbon radical of 1 to 10 carbon atoms,  $R^4$  is a divalent aromatic ring-bearing hydrocarbon radical of 7 to 10 carbon atoms, and p is an integer of 1 to 3, at least one of the NH and  $NH_2$  radicals being not directly attached to the aromatic ring in  $R^4$ .

- 2. The composition of claim 1 wherein the hydrolyzable radicals in component (B) are selected from among ketoxime, alkoxy, and isopropenoxy radicals.
- 5 3. The composition of claim 1 wherein in formula (3),  $R^2$  is methyl or ethyl, and  $R^3$  is methylene, ethylene or propylene.
- 4. The composition of claim 1 wherein in formula (3),  $R^4$  is selected from the following structures:

$$-CH_{2}-C_{6}H_{4}- \qquad \qquad (4),$$

$$-CH_{2}-C_{6}H_{4}-CH_{2}- \qquad (5),$$

$$-CH_{2}-C_{6}H_{4}-CH_{2}-CH_{2}- \qquad (6),$$

$$15 \qquad -CH_{2}-C_{6}H_{4}-CH_{2}-CH_{2}- \qquad (7),$$

$$-CH_{2}-CH_{2}-C_{6}H_{4}- \qquad (8),$$

$$-CH_{2}-CH_{2}-C_{6}H_{4}- \qquad (9),$$

$$-CH_{2}-CH_{2}-C_{6}H_{4}-CH_{2}- \qquad (10),$$

$$-CH_{2}-CH_{2}-CH_{2}-C_{6}H_{4}- \qquad (11) \text{ and}$$

$$20 \qquad -CH_{2}-CH_{2}-CH_{2}-C_{6}H_{4}- \qquad (12).$$

- 5. The composition of claim 1 which further comprises a filler.
- 25 6. The composition of claim 5 wherein the filler is silica and/or carbon black.
  - 7. The composition of claim 1 which further comprises a condensation reaction catalyst.